

MATERIAL SAFETY DATA SHEET

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED): CR-609 Mossy Oak Stain
PRODUCT USE: Concrete Stain
PACKAGE SIZES: 16 oz, 1 gal, 5 gal, 55 gal, 275 gal
CHEMICAL SHIPPING NAME/CLASS: Corrosive Liquid, Acidic, Inorganic, N.O.S. Class 8
U.N. NUMBER: UN3264
MANUFACTURER'S NAME: **Concrete Stain & Supply, LLC**
ADDRESS: 403 Oak Ave, Mansfield, MO 65704
EMERGENCY PHONE: (800) 424-9300 CHEMTREC (Contract #: 214383)
BUSINESS PHONE: (417) 924-2300
DATE OF PREPARATION: January 17, 2011
DATE OF REVISION: New

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: Warning!

Product Description: This product is a Dark brown liquid with a pungent odor.

Health Hazards: Harmful if swallowed or inhaled. May cause irritation to skin, eyes and respiratory tract.

Flammability Hazards: Non-Flammable product.

Reactivity Hazards: This product is slightly reactive.

Environmental Hazards: Release of the product is not expected to cause adverse effects to the aquatic environment.

Emergency Recommendations: Emergency responders must have personal protective equipment and fire protection appropriate for the situation to which they are responding.

EU LABELING AND CLASSIFICATION: This product meets the definition of a hazardous substance or preparation according to EU Regulations (EC) No 1272/2008.

EC# 231-869-6 is not classified in the Annex I of Directive 67/548/EEC

EC# 231-210-2 is not classified in the Annex I of Directive 67/548/EEC

EC# 231-595-7 is classified in the Annex I of Directive 67/548/EEC

Index # 017-002-01-X

EC# 231-633-2 is classified in the Annex I of Directive 67/548/EEC

Index # 015-011-00-6

GHS CLASSIFICATIONS:

Carcinogen Category 1B

Skin Corrosive Category 1B


Skin Irritation Category 3

Eye Irritation Category 2B

SIGNAL WORD : Warning



HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)		3	
FLAMMABILITY HAZARD (RED)		0	
REACTIVITY (YELLOW)		1	
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	SEE SECTION 8		SEE SECTION 8
For Routine Industrial Use and Handling Applications			



HAZARD STATEMENT:

H314 Causes skin burns and eye damage

H316 May cause skin irritation

H320 May cause eye irritation

H335 May cause respiratory irritation

H351 Suspended of causing cancer

PREVENTION STATEMENT :

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapor/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE STATEMENT:

Concrete Stain & Supply, LLC.

Scale: 0 = Minimal 1 = Slight 2 = Moderate
3 = Serious 4 = Severe * = Chronic hazard

MATERIAL SAFETY DATA SHEET

P321	Specific treatment is advised – see first aid instructions.
P363	Wash contaminated clothing before reuse.
P302 +P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned : Get medical advice/attention.
P333 + P313	IF skin irritation or rash occurs : Get medical advice/attention.

HEALTH EFFECTS OR RISKS FROM EXPOSURE:

ACUTE: Inhalation may irritate the respiratory tract. Ingestion may cause gastrointestinal tract irritation with nausea, vomiting, and possible burns. Skin and eye contact may cause irritation with redness and pain. Possible burns to both skin and eyes.

CHRONIC: This product contains a known carcinogen. Risk of cancer is dependent on exposure levels and duration.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification	Risk Phrases
Water	<85%	7732-18-5	231-791-2	NA	None
Cupric Chloride	5 - 15%	7447-39-4	231-210-2	[Xn] Harmful	R22, R36
Phosphoric Acid	2 - 10%	7664-38-2	231-633-2	[C] Corrosive	R34
Manganese Chloride	<5%	7773-01-5	231-869-6	[Xn] Harmful	R22, R36/37/38
Sodium Dichromate	<5%	7789-12-0	Not Listed	[Xn] Harmful, [T] Toxic	R21, R25, R26, R34, R37/38, R42/43, R45
Hydrochloric Acid	<2%	7647-01-0	231-595-7	[Xi] Irritant	R36/37/38
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

4. FIRST-AID MEASURES

SKIN EXPOSURE: If this product contaminates the skin, begin decontamination with running water. Minimum flushing is for 5 minutes. Remove exposed or contaminated clothing, taking care not to contaminate eyes. The contaminated individual should seek medical attention if any adverse effect occurs.

EYE EXPOSURE: If this product enter the eyes, open contaminated individual's eyes while under gently running water. Use sufficient force to open eyelids. Remove contact lenses if worn. Have contaminated individual "roll" eyes. Minimum flushing is for 15 minutes. Contaminated individual must seek immediate medical attention.

INHALATION: If fumes/vapors or mists generated by this product are inhaled, remove contaminated individual to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing distress continues.

INGESTION: Routine use of this product is not expected to cause any situation which could lead to ingestion. If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Persons with impaired respiratory function, skin or eye conditions may be more susceptible to the effect of this substance.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

FLASH POINT: Non-Flammable

AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Lower NA Upper NA

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

MATERIAL SAFETY DATA SHEET

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not considered a fire or explosion hazard.

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Proper protective equipment should be used. Stop the flow of material, if this can be done safely. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Do not use combustible materials such as sawdust. Provide ventilation. Place in a proper container for reclamation or disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Empty containers should be handled with care. Store containers in a cool, dry location. Keep container tightly closed when not in use.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Cupric Chloride	7447-39-4	Not Listed	Not Listed
Sodium Dichromate	7789-12-0	0.05 mg/m ³	0.001 mg/m ³
Manganese Chloride	7773-01-5	0.2 mg/m ³	5 mg/m ³
Phosphoric Acid	7664-38-2	1 mg/m ³	1 mg/m ³
Hydrochloric Acid	7647-01-0	2 ppm	7 mg/m ³ Ceiling

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use a chemical fume hood or local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Use chemically-resistant gloves when handling this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate for task (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

MATERIAL SAFETY DATA SHEET

9. PHYSICAL and CHEMICAL PROPERTIES

VAPOR DENSITY: No Data

DENSITY: No Data

SOLUBILITY IN WATER: No Data

VAPOR PRESSURE, mm Hg @ 20°C (68°F): No Data

ODOR THRESHOLD: Pungent

APPEARANCE and COLOR: Dark brown liquid with a pungent odor

EVAPORATION RATE (n-BuAc=1): No Data

MELTING POINT: No Data

BOILING POINT: No Data

pH: No Data

SPECIFIC GRAVITY: No Data

10. STABILITY and REACTIVITY

STABILITY: Stable under conditions of normal storage and use.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of the contained metal and halogen, possibly also free or ionic halogen, hydrogen chloride, chlorine, hydrogen gas.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizers

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur.

CONDITIONS TO AVOID: Incompatible materials

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

Water CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg;

Sodium Dichromate CAS# 7789-12-0:

Oral, rat: LD50 = 50 mg/kg;

Cupric Chloride CAS# 7447-39-4:

Oral, mouse: LD50 = 233 mg/kg;

Oral, rat: LD50 = 584 mg/kg;

Oral, rat: LD50 = 140 mg/kg;

Manganese Chloride CAS# 7773-01-5:

Oral, mouse: LD50 = 1031 mg/kg;

Oral, mouse: LD50 = 450 mg/kg;

Oral, rat: LD50 = 250 mg/kg;

Phosphoric Acid CAS# 7664-38-2

Draize test, rabbit, eye: 119 mg Severe;

Draize test, rabbit, skin: 595 mg/24H Severe;

Inhalation, mouse: LC50 = 25.5 mg/m³;

Inhalation, rat: LC50 = >850 mg/m³/1H;

Inhalation, rat: LC50 = 25.5 mg/m³;

Oral, mouse: LD50 = 1.25 gm/kg;

Oral, rat: LD50 = 1530 mg/kg;

Oral, rat: LD50 = 1.25 gm/kg;

Skin, rabbit: LD50 = 2740 mg/kg;

Hydrochloric Acid CAS# 7647-01-0:

Inhalation, mouse: LC50 = 1108 ppm/1H;

Inhalation, mouse: LC50 = 20487 mg/m³/5M;

Inhalation, mouse: LC50 = 3940 mg/m³/30M;

Inhalation, mouse: LC50 = 8300 mg/m³/30M;

Inhalation, rat: LC50 = 3124 ppm/1H;

Inhalation, rat: LC50 = 60938 mg/m³/5M;

Inhalation, rat: LC50 = 7004 mg/m³/30M;

Inhalation, rat: LC50 = 45000 mg/m³/5M;

Inhalation, rat: LC50 = 8300 mg/m³/30M;

Oral, rabbit: LD50 = 900 mg/kg;

SUSPECTED CANCER AGENT: Ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

CARCINOGENIC EFFECTS:

CAS# 7789-12-0:

- **ACGIH:** A1 - Confirmed Human Carcinogen (listed as 'Chromium (VI) compounds- water soluble').
- **California:** carcinogen, initial date 2/27/87 (listed as Chromium (VI) compounds).
- **NTP:** Known carcinogen (listed as Chromium (VI) compounds).

MATERIAL SAFETY DATA SHEET

- **IARC:** Group 1 carcinogen (listed as Chromium (VI) compounds).

IRRITANCY OF PRODUCT: This product can be irritating to the skin, eyes, and respiratory system with prolonged contact.

SENSITIZATION TO THE PRODUCT: None known

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No specific data available on this product.

CHEMICAL EFFECT ON PLANTS, ANIMALS AND AQUATIC LIFE: This product is expected to be harmful to aquatic life with possible long lasting effects.

13. DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SODIUM DICHROMATE AND HYDROCHLORIC ACID)

HAZARD CLASS NUMBER and DESCRIPTION: CLASS 8 CORROSIVE

UN IDENTIFICATION NUMBER: UN 3264

PACKING GROUP: III

DOT LABEL(S) REQUIRED: Corrosive

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: 154

RQ QUANTITY:

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

CAS# 7789-12-0 SARA 313 Reporting

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): CAS# 7447-39-4: 10 lb final RQ; 4.54 kg final RQ, CAS# 7664-38-2: 5000 lb final RQ; 2270 kg final RQ

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS:

CLEAN AIR ACT: CAS# 7647-01-0 is listed as a hazardous air pollutant (HAP). CAS# 7773-01-5 (listed as Manganese compounds, n.o.s.) is listed as a hazardous air pollutant (HAP).

CLEAN WATER ACT: CAS# 7647-01-0 is listed as a Hazardous Substance under the CWA. CAS# 7447-39-4 is listed as a Hazardous Substance under the CWA. CAS# 7447-39-4 is listed as a Toxic Pollutant under the Clean Water Act.

MATERIAL SAFETY DATA SHEET

CAS# 7664-38-2 is listed as a Hazardous Substance under the CWA.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are on the Proposition 65 Lists.

WARNING! This product contains ingredients that are known to the State of California to cause cancer or reproductive harm.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product has a WHMIS classification of D1A, D2A, C

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU CLASSIFICATION: [Xi] Irritant, [Xn] Harmful, [T] Toxic

EU RISK PHRASES: R21: Harmful in contact with skin; R25: Toxic if swallowed; R26: Toxic by inhalation; R34: Causes burns; R36/37/38: Irritating to eyes, respiratory system and skin; R42/43: May cause sensitization by inhalation and skin contact; R45: May cause cancer.

EU SAFETY PHRASES: S37/39: Wear suitable gloves and eye/face protection; S45: In case of accident or if you feel unwell, seek medical advice immediately; S53: Avoid exposure; S61: Avoid release to the environment.



AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are listed on the International Chemical Inventory list or are exempt from listing.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or exempt

Australian Inventory of Chemical Substances (AICS): Listed or exempt

Korean Existing Chemicals List (ECL): Listed or exempt

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed or exempt

Swiss Giftlist List of Toxic Substances: Listed or exempt

U.S. TSCA: Listed or exempt

16. OTHER INFORMATION

PREPARED BY: Paul Eigbrett – **(MSDS Authoring PLUS)**

DATE OF PRINTING: January 17, 2011

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Concrete Stain & Supply, LLC assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Concrete Stain & Supply, LLC assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF MSDS SHEET